AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A wireless system comprising:

a base device receiving a first video data of television broadcast and electronic program guide (EPG) data related to the first video data; and

~~A~~ a wireless terminal for transmitting/receiving data to/from ~~a~~ the base device~~, the wireless terminal comprising~~:

the base device including

a transmitting unit wirelessly transmitting the first video data and the EPG data to the wireless terminal; and

an input terminal which is connectable with a set-top box,

the wireless terminal including

a receiving unit receiving, from the base device, ~~device which decodes a signal into a first video data and an audio signal,~~ the first video data and the EPG~~electronic program guide (EPG) data related to the~~ data;

a first video generating unit generating a first video image based on the first video data;

a second video generating unit generating a second video image based on the EPG data;

a video superposing unit superposing the second video image on the first video image; and

a display unit displaying the superposed video image; and

a rewritable nonvolatile memory storing the EPG data received by the receiving unit, ~~wherein~~

the second video generating unit generating the second video image based on the EPG data stored in the nonvolatile memory.

2. (Canceled)

3. (Currently Amended) The wireless system~~terminal~~ of claim 1, wherein the second video generating unit generates the second video image by adding the EPG data to template data stored by the wireless terminal.

4-12. (Canceled)

13. (New) The wireless system of claim 1, the wireless terminal further includes a controller that determines whether EPG data has been stored in the rewritable nonvolatile memory, wherein

the EPG data is read out of the rewritable nonvolatile memory when the EPG data has already been stored in the rewritable nonvolatile memory, and

an obtaining EPG command is transmitted, from the wireless terminal, for obtaining EPG data when the EPG data has not been stored in the rewritable nonvolatile memory.

14. (New) The wireless system of claim 1, the wireless terminal further includes a controller, wherein

the base station transmits a command to the wireless terminal,

the command is received by the receiving unit of the wireless terminal,

the controller analyzes the command, the controller performs a channel search when the command is a command for an auto preset process and the controller performs another process other than channel searching when the command is a command for another process, and

when the controller performs a channel search, the wireless terminal transmits channel identification information to the base station, the channel identification information indicates receivable channels and unreceivable channels.

15. (New) The wireless system of claim 1, wherein the second video image is superposed on the first video image based on a user input.

16. (New) The wireless system of claim 1, wherein the second video image is superposed on the first video image based on a timing control signal.

17. (New) The wireless system of claim 1, wherein the second video image is superposed on the first video image based on a user input and a timing control signal.